

1. Stability Test:

1.1 CPU Function Test:

Test Purpose	Test CPU functions work nor ally under Windows operating system
Test Procedure	<ol style="list-style-type: none"> 1. Install Windows operating system 2. Install M/B device drivers 3. CPU-Z check CPU info 4. Run AIDA64 ache and Memory Benchmark Ver.5.92.4300 - 1 time 5. Run PassMark Performance Test 9.0 Build1019 - 1 time 6. Run 3DMark for Windows Ver.2.4.3819 BenchMark - 3 times 7. S3(Sleep)/S4(Hibernate)/S5(Shutdown) test - 3 times
Test Criteria	It should be correct for each test step

No.	CPU	Type	CPU Temp.	Result
1	Intel / 3.6GHz	Core i7-7700 (Kaby Lake/SR338) / 65W / LGA1151	54.0 °C	Pass
2	Intel / 3.5GHz	Core i5-7600 (Kaby Lake/SR334 / 65W / LGA1151	50.0 °C	Pass
3	Intel / 4.0GHz	Core i3-7300 (Kaby Lake/SR359) / 51W / LGA1151	56.5 °C	Pass
4	Intel / 3.40GHz	Core i7-6700 (Skylake-S/R0-SR2BT) / 65W / LGA1151	47.0 °C	Pass
5	Intel / 3.20GHz	Core i5-6500 (Skylake-S/R0-SR2BX) / 65W / LGA1151	44.0 °C	Pass
6	Intel / 2.30GHz	Core i5-6500 E (Skylake-S/R0-SR2LR) / 35W / LGA1151	31.5 °C	Pass
7	Intel / 2.70GHz	Core i3-6100 E (Skylake-S/R0-SR2LS) / 35W / LGA1151	34.5 °C	Pass
8	Intel / 3.70GHz	Core i3-6100 (Skylake-S/S0-SR2HG) / 51W / LGA1151	53.5 °C	Pass
9	Intel / 3.30GHz	Pentium-G4400 (Skylake-S/R0-SR2DC) / 54W / LGA1151	40.5 °C	Pass
10	Intel / 2.40GHz	Pentium-G4400TE (Skylake-S/R0-SR2LT) / 35W / LGA1151	29.5 °C	Pass
11	Intel / 2.80GHz	Celeron G3900 (Skylake-S/S0-SR2HV) / 51W / LGA1151	36.0 °C	Pass (was:ID17284)
12	Intel / 2.30GHz	Celeron G3900TE (Skylake-S/R0-SR2LU) / 35W / LGA1151	35.0 °C	Pass (was:ID17284)



1.2 Memory Function Test:

Test Purpose	Test Memory functions work normally under Windows Operating System
Test Procedure	<ol style="list-style-type: none"> 1. Install Windows Operating System 2. Install M/B Device Driver 3. Run AIDA64 cache and Memory Benchmark Ver.5.92.4300 1 time 4. Run Passmar Performance Test 9.0 Build1019 1 time 5. Run 3DMark for Windows Ver.2.4.819 BenchMark 3 times 6. S3/Hibernate Test 3 times
Test Criteria	It should be no problem for the test

1.2.1 DDR4:

No.	Function	Result
1	DDR4 DIMM Slot Examine	Pass
2	Single Channel mode	Pass
3	Dual channel mode	Pass
4	Warning beep sound when no memory install	Pass
5	DIMM Slot1	Pass
6	DIMM Slot2	Pass
7	DIMM Slot3	Pass
8	DIMM Slot4	Pass
9	DIMM Slot1+2+3+4	Pass (was:ID12181)

1.2.2 Application Test:

No.	Software	Test Keypoint	Result
1	MemTest86 Ver.7. Pro	1. Stress test 24 hours	Pass

1.2.3 DDR4 Approved List:

No.	Brand	Chip	Size	Type	Chip Model No.	Vendor Part No.	Result
1	Transcend	Samsung	16GB	PC4-19200 (DDR4-2400)	TS2GLH64V4B	4A8G085wD-BCRC	Pass
2	ADATA	SK Hynix	16GB	PC4-19200 (DDR4-2400)	AD4U2400316G17-BHYA	H5AN8G8NAFR UH C	Pass
3	Kingston	Micron	4GB	PC4-19200 (DDR4-2400)	CBD24D4U7S8MB-4	CB75-D9TGG	Pass
4	Transcend	Samsung	8GB	PC4-19200 (DDR4-2400)	TS1GLH64V4H	4A4G085WE-BCR C	Pass
5	ADATA	SK Hynix	8GB	PC4-19200 (DDR4-2400)	AD4U240038G17-BHYA	H5AN8G8NAFR U HC	Pass



1.2.4 DDR4 Module Test Procedures:

No.	DDR4 Module	Test Procedures	Result
1	PC4-19200 (DDR4-2400) / Transcend-TS2GLH64V4B / SEC-K4A8G085wD-BCRC / 16GB*4 (Non ECC) (DR041-1/2/3/4)	CPU: Intel Core i7-7700 CPU 3.60GHz DIMM Slot: DIMM-1/2/3/4 DUAL Channel Test Summary: Environment Temp.:26.2 CPU Temp.:54.5C CPU Temp. after 3DMark:56.0C AIDA64 Cache and Memory Benchmark(V5.92.4300) DUAL CHANNEL(DIMM-1/2/3/4) READ:32392 MB/s WRITE:36571 MB/s COPY:34461 MB/s Passmark PerformanceTest 9.0 Build 1019 CPU Mark:11685.2 Memory Mark:3204.7 3DMark for Windows(V 2.4.3819)3times Cloud Gate:10402 Ice Storm Extreme:643 1 Skydiver:5068 Fire Strike:1192	Pass
2	DDR4-2400(16GB) ADATA AD4U2400316G17-BHYA SK Hynix H5AN8G8NAFR UHC (1060907B-3/4)	CPU: Intel Core i3-7300 CPU 4.00GHz DIMM Slot: DIMM-1/2 SINGLE Channel Test Summary: Environment Temp.:26.4 CPU Temp.:59.0C CPU Temp. after 3DMark:57.0C AIDA64 Cache and Memory Benchmark(V 5.92.4300) SINGLE CHANNEL(DIMM-1/2) READ:18101 MB/s WRITE:18642 MB/s COPY:18752 MB/s Passmark PerformanceTest 9.0 Build 1019 CPU Mark:6286.1 Memory Mark:2561.0 3DMark for Windows(V 2.4.3819)3times Cloud Gate:7093 Ice Storm Extreme:469 7 Skydiver:4152 Fire Strike:897	Pass
3	PC4-19200 (DDR4-2400) / Kingston-CBD24D4U7S8MB-4 / Micron-7CB75-D9TGG / 4GB (Non-ECC) / 1060418A-1/2	CPU: Intel Core i7-7700 CPU 3.60GHz DIMM Slot: DIMM-3/4 SINGLE Channel Test Summary: Environment Temp.:26.2 CPU Temp.:57.5C CPU Temp. after 3DMark:55.0C AIDA64 Cache and Memory Benchmark(V 5.92.4300) SINGLE CHANNEL(DIMM-3/4) READ:18862 MB/s WRITE:18446 MB/s COPY:19529 MB/s Passmark PerformanceTest 9.0 Build 1019 CPU Mark:10239.3 Memory Mark:2390.7 3DMark for Windows(V 2.4.3819)3times Cloud Gate:8960 Ice Storm Extreme:534 8 Skydiver:4638 Fire Strike:986	Pass



4	PC4-19200 (DDR4-2400) / Transcend-TS1GLH64V4H / SEC-K4A4G085WE-BCRC / 8GB*1 (NON ECC).	<p>CPU: Intel Core i7-7700 CPU 3.60GHz DIMM Slot: DIMM-1 SINGLE Channel Test Summary: Environment Temp.:26.4 CPU Temp.:55.0C CPU Temp. after 3DMark:55.0C AIDA64 Cache and Memory Benchmark(V 5.92.4300) SINGLE CHANNEL(DIMM-1) READ:19135 MB/s WRITE:18172 MB/s COPY:19463 MB/s Passmark PerformanceTest 9.0 Build 1019 CPU Mark:10399.1 Memory Mark:2406.8 3DMark for Windows(V 2.4.3819)3times Cloud Gate:8992 Ice Storm Extreme:536 6 Skydiver:4413 Fire Strike:992</p>	Pass
5	DDR4-2400(16GB) ADATA AD4U2400316G17-BHYA SK Hynix H5AN8G8NAFR UHC (1060907B-4)	<p>CPU: Intel Core i7-7700 CPU 3.60GHz DIMM Slot: DIMM-2 SINGLE Channel Test Summary: Environment Temp.:26.3 CPU Temp.:56.5C CPU Temp. after 3DMark:57.0C AIDA64 Cache and Memory Benchmark(V 5.92.4300) SINGLE CHANNEL(DIMM-2) READ:19085 MB/s WRITE:17979 MB/s COPY:19412 MB/s Passmark PerformanceTest 9.0 Build 1019 CPU Mark:10367.5 Memory Mark:2552.7 3DMark for Windows(V 2.4.3819)3times Cloud Gate:8949 Ice Storm Extreme:537 8 Skydiver:4648 Fire Strike:980</p>	Pass
6	PC4-19200 (DDR4-2400) / Kingston-CBD24D4U7S8MB-4 / Micron-7CB75-D9TGG / 4GB (Non-ECC) / 1060418A-2	<p>CPU: Intel Core i7-7700 CPU 3.60GHz DIMM Slot: DIMM-3 SINGLE Channel Test Summary: Environment Temp.:26.6 CPU Temp.:59.5C CPU Temp. after 3DMark:54.5C AIDA64 Cache and Memory Benchmark(V 5.92.4300) SINGLE CHANNEL(DIMM-3) READ:18548 MB/s WRITE:17543 MB/s COPY:17856 MB/s Passmark PerformanceTest 9.0 Build 1019 CPU Mark:9986.4 Memory Mark:4271.1 3DMark for Windows(V 2.4.3819)3times Cloud Gate:8507 Ice Storm Extreme:497 1 Skydiver:4454 Fire Strike:922</p>	Pass
7	DDR4-2400(16GB) ADATA AD4U2400316G17-BHYA SK Hynix H5AN8G8NAFR UHC (1060907B-3)	<p>CPU: Intel Core i7-7700 CPU 3.60GHz DIMM Slot: DIMM-4 SINGLE Channel Test Summary: Environment Temp.:26.9 CPU Temp.:56.5C CPU Temp. after 3DMark:58.0C AIDA64 Cache and Memory Benchmark(V 5.92.4300) SINGLE CHANNEL(DIMM-4) READ:18799 MB/s WRITE:17786 MB/s COPY:18935 MB/s Passmark PerformanceTest 9.0 Build 1019 CPU Mark:10215.3 Memory Mark:2521.8 3DMark for Windows(V 2.4.3819)3times Cloud Gate:8905 Ice Storm Extreme:531 5 Skydiver:4605 Fire Strike:979</p>	Pass



<p style="text-align: center;">8</p>	<p>PC4-19200 (DDR4-2400) ADATA AD4U240038G17-BHYA / SK Hynix H5AN8G8NAFR UHC /8GB*3 (Non ECC) (DR043-1/2/4)</p>	<p>CPU: Intel Core i5-7600 CPU 3.50GHz DIMM Slot: DIMM-1/2/3 DUAL Channel Test Summary: Environment Temp.:26.6 CPU Temp.:50.5C CPU Temp. after 3DMark:50.0C AIDA64 Cache and Memory Benchmark(V 5.92.4300) DUAL CHANNEL(DIMM-1/2/3) READ:32432 MB/s WRITE:34682 MB/s COPY:30187 MB/s Passmark PerformanceTest 9.0 Build 1019 CPU Mark:9274.6 Memory Mark:2863.7 3DMark for Windows(V 2.4.3819)3times Cloud Gate:9013 Ice Storm Extreme:630 1 Skydiver:4909 Fire Strike:1146</p>	<p style="text-align: center;">Pass</p>
<p style="text-align: center;">9</p>	<p>PC4-19200 (DDR4-2400) / Transcend- TS2GLH64V4B / SEC-K4A8G085wD-BCRC / 16GB*2 (Non ECC) (DR041-1/3)</p>	<p>CPU: Intel Core i7-7700 CPU 3.60GHz DIMM Slot: DIMM-1/3 DUAL Chann l Test Summary: Environment Temp.:26.4 CPU Temp.:54.0C CPU Temp. after 3DMark:52.0C AIDA64 Cache and Memory Benchmark(V 5.92.4300) DUAL CHANNEL(DIMM-1/3) READ:34182 MB/s WRITE:36467 MB/s COPY:34101 MB/s Passmark PerformanceTest 9.0 Build 1019 CPU Mark:11590.6 Memory Mark:3191.9 3DMark for Windows(V 2.4.3819)3times Cloud Gate:10316 Ice Storm Extreme:646 8 Skydiver:5072 Fire Strike:1200</p>	<p style="text-align: center;">Pass</p>
<p style="text-align: center;">10</p>	<p>PC4-19200 (DDR4-2400) / Transcend- TS1GLH64V4H / SEC-K4A4G085WE-BCRC / 8GB*1 (NON ECC).</p>	<p>CPU: Intel Core i3-7300 CPU 4.00GHz DIMM Slot: DIMM-1 SINGLE Channel Test Summary: Environment Temp.:26.2 CPU Temp.:56.5C CPU Temp. after 3DMark:55.5C AIDA64 Cache and Memory Benchmark(V 5.92.4300) SINGLE CHANNEL(DIMM-1) READ:18501 MB/s WRITE:18291 MB/s COPY:18694 MB/s Passmark PerformanceTest 9.0 Build 1019 CPU Mark:6363.6 Memory Mark:2381.3 3DMark for Windows(V 2.4.3819)3times Cloud Gate:7013 Ice Storm Extreme:470 9 Skydiver:4114 Fire Strike:878</p>	<p style="text-align: center;">Pass</p>
<p style="text-align: center;">11</p>	<p>PC4-19200 (DDR4-2400) ADATA AD4U240038G17-BHYA / SK Hynix H5AN8G8NAFR UHC /8GB*1 (Non ECC) (DR043-1)</p>	<p>CPU: Intel Core i5-7600 CPU 3.50GHz DIMM Slot: DIMM-3 SINGLE Channel Test Summary: Environment Temp.:26.4 CPU Temp.:50.0C CPU Temp. after 3DMark:46.5C AIDA64 Cache and Memory Benchmark(V 5.92.4300) SINGLE CHANNEL(DIMM-3) READ:18119 MB/s WRITE:17456 MB/s COPY:17785 MB/s Passmark PerformanceTest 9.0 Build 1019 CPU Mark:8674.6 Memory Mark:2270.2 3DMark for Windows(V 2.4.3819)3times Cloud Gate:7484 Ice Storm Extreme:472 7 Skydiver:4318 Fire Strike:883</p>	<p style="text-align: center;">Pass</p>



12	DDR4-2400(16GB) ADATA AD4U2400316G17-BHYA SK Hynix H5AN8G8NAFR UHC (1060907B-1/2)	<p>CPU: Intel Core i5-7600 CPU 3.50GHz DIMM Slot: DIMM-1/3 DUAL Chann I Test Summary: Environment Temp.:25.7 CPU Temp.:48.0C CPU Temp. after 3DMark:46.5C AIDA64 Cache and Memory Benchmark(V 5.92.4300) DUAL CHANNEL(DIMM-1/3) READ:34841 MB/s WRITE:37260 MB/s COPY:33569 MB/s Passmark PerformanceTest 9.0 Build 1019 CPU Mark:9514.0 Memory Mark:3147.0 3DMark for Windows(V 2.4.3819)3times Cloud Gate:9171 Ice Storm Extreme:653 4 Skydiver:4994 Fire Strike:1186</p>	Pass
13	PC4-19200 (DDR4-2400) / Transcend-TS2GLH64V4B / SEC-K4A8G085wB-BCRC / 16GB*4 (Non ECC) (DR041-1/2/3/4)	<p>M/B: KD330-Q170CRM Rev.A (0A1) (BMI020310011) BIOS: 100G:B183.07A (Insyde) Driver: Driver_KD330_643_KD3301-000G_180226_03.iso CPU: Intel Core i3-6100 Processor 3.70GHz (SR2HG) (CP070-3) DIMM Slot: DIMM-1/2/3/4 DUAL Channel Test Summary: Environment Temp.: 24.6°C CPU Temp.: 53.5°C CPU Temp. after 3DMark: 51.5°C AIDA64 Cache and Memory Benchmark(V5.95.4500) DUAL CHANNEL (DIMM-1/2/3/4) READ:29773 MB/s WRITE:33140 MB/s COPY:30609 MB/s PassMark PerformanceTest 9.0 Build 1023 CPU Mark:6056.6 Memory Mark:2952.4 3DMark for Windows(3times)(V 2.4.4180) Cloud Gate:7210 Ice Storm:51630 Sky Diver:3960 Strike Test:982</p>	Pass
14	PC4-19200 (DDR4-2400) / Transcend-TS2GLH64V4B / SEC-K4A8G085wB-BCRC / 16GB*4 (Non ECC) (DR041-1/2/3/4)	<p>M/B: KD330-Q170CRM Rev.A (0A1) (BMI020310011) BIOS: 100G:B183.07A (Insyde) Driver: Driver_KD330_643_KD3301-000G_180226_03.iso CPU: Intel Core i5-6500 Processor 3.20GHz(SR2BX) (CP071-2) DIMM Slot: DIMM-1/2/3/4 DUAL Channel Test Summary: Environment Temp.: 24.2°C CPU Temp.: 44.0°C CPU Temp. after 3DMark: 42.0°C AIDA64 Cache and Memory Benchmark(V5.95.4500) DUAL CHANNEL (DIMM-1/2/3/4) READ:30653 MB/s WRITE:32681 MB/s COPY:30960 MB/s PassMark PerformanceTest 9.0 Build 1023 CPU Mark:8071.4 Memory Mark:2898.6 3DMark for Windows(3times)(V 2.4.4180) Cloud Gate:7938 Ice Storm:55286 Sky Diver:4304 Strike Test:1063</p>	Pass



<p>15</p>	<p>PC4-19200 (DDR4-2400) / Transcend-TS2GLH64V4B / SEC-K4A8G085wB-BCRC / 16GB*4 (Non ECC) (DR041-1/2/3/4)</p>	<p>DUT: KD330-Q170CRM Rev.A (0A1) (BMI020310011) M/B: 100G:B183.07A (Insyde) BIOS: Driver_KD330_643_KD3301-000G_180226_03.iso Driver: Intel Core i7-6700 Processor 3.40GHz(SR2BT) (CP072-4) CPU: DIMM-1/2/3/4 DUAL Channel DIMM Slot: Environment Temp.: 24.6°C Test Summary: CPU Temp.: 47.0°C CPU Temp. after 3DMark: 45.0°C AIDA64 Cache and Memory Benchmark(V5.95.4500) DUAL CHANNEL (DIMM-1/2/3/4) READ:31386 MB/s WRITE:32805 MB/s COPY:31231 MB/s PassMark PerformanceTest 9.0 Build 1023 CPU Mark:10851.7 Memory Mark:3035.4 3DMark for Windows(3times)(V 2.4.4180) Cloud Gate:9470 Ice Storm:58755 Sky Diver:4554 Strike Test:1112</p>	<p>Pass</p>
<p>16</p>	<p>PC4-19200 (DDR4-2400) / Transcend-TS2GLH64V4B / SEC-K4A8G085wB-BCRC / 16GB*4 (Non ECC) (DR041-1/2/3/4)</p>	<p>DUT: KD330-Q170CRM Rev.A (0A1) (BMI020310011) M/B: 100G:B183.07A (Insyde) BIOS: Driver_KD330_643_KD3301-000G_180226_03.iso Driver: Intel Pentium G4400 Processor 3.3GHz(SR2DC) (CP073-3) CPU: DIMM-1/2/3/4 DUAL Channel DIMM Slot: Environment Temp.: 24.4°C Test Summary: CPU Temp.: 40.5°C CPU Temp. after 3DMark: 37.5°C AIDA64 Cache and Memory Benchmark(V5.95.4500) DUAL CHANNEL (DIMM-1/2/3/4) READ:29372 MB/s WRITE:33104 MB/s COPY:30583 MB/s PassMark PerformanceTest 9.0 Build 1023 CPU Mark:3758.7 Memory Mark:2736.2 3DMark for Windows(3times)(V 2.4.4180) Cloud Gate:4498 Ice Storm:27313 Sky Diver:2402 Strike Test:611</p>	<p>Pass</p>
<p>17</p>	<p>PC4-19200 (DDR4-2400) / Transcend-TS2GLH64V4B / SEC-K4A8G085wB-BCRC / 16GB*2 (Non ECC) (DR041-1/2)</p>	<p>M/B: KD330-H110C Rev.A (0A1) (BMI020210014) BIOS: 000G:B183.07B (Insyde) Driver: Driver_KD330_643_KD3301-000G_180226_03.iso CPU: Intel Core i3-6100TE Processor 2.70GHz(SR2LS) (CP075-1) DIMM Slot: DIMM-1/3 DUAL Chann I Test Summary: Environment Temp.: 25.1°C CPU Temp.: 34.5°C CPU Temp. after 3DMark: 34.5°C AIDA64 Cache and Memory Benchmark(V 5.95.4500) DUAL CHANNEL (DIMM-1/3) READ:29495 MB/s WRITE:32942 MB/s COPY:30093 MB/s PassMark PerformanceTest 9.0 Build 1023 CPU Mark:4596.2 Memory Mark:2422.4 3DMark for Windows(3times)(V 2.4.4180) Cloud Gate:6334 Ice Storm:48263 Sky Diver:3888 Strike Test:979</p>	<p>Pass</p>



18	PC4-19200 (DDR4-2400) / Transcend-TS2GLH64V4B / SEC-K4A8G085wB-BCRC / 16GB*2 (Non ECC) (DR041-1/2)	<p>M/B: KD330-H110C Rev.A (0A1) (BMI020210014) BIOS: 000G:B183.07B (Insyde) Driver: Driver_KD330_643_KD3301-000G_180226_03.iso CPU: Intel Pentium G4400TE Processor 2.4GHz (SR2LT) (CP077-1) DIMM Slot: 1 Test Summary: DIMM-1/3 DUAL Chann I Environment Temp.: 24.0°C CPU Temp.: 29.5°C CPU Temp. after 3DMark: 30.5°C AIDA64 Cache and Memory Benchmark(V 5.95.4500) DUAL CHANNEL (DIMM-1/3) READ:27952 MB/s WRITE:32202 MB/s COPY:29766 MB/s PassMark PerformanceTest 9.0 Build 1023 CPU Mark:2745.2 Memory Mark:2193.5 3DMark for Windows(3times)(V 2.4.4180) Cloud Gate:3863 Ice Storm:23835 Sky Diver:2157 Strike Test:557</p>	Pass
19	PC4-19200 (DDR4-2400) / Transcend-TS2GLH64V4B / SEC-K4A8G085wB-BCRC / 16GB*2 (Non ECC) (DR041-1/2)	<p>M/B: KD330-H110C Rev.A (0A1) (BMI020210014) BIOS: 000G:B183.07B (Insyde) Driver: Driver_KD330_643_KD3301-000G_180226_03.iso CPU: Intel Core i5-6500TE Processor 2.30GHz(SR2LR) (CP078-1) DIMM Slot: DIMM-1/3 DUAL Chann I Test Summary: Environment Temp.: 24.1°C CPU Temp.: 31.5°C CPU Temp. after 3DMark: 33.0°C AIDA64 Cache and Memory Benchmark(V 5.95.4500) DUAL CHANNEL (DIMM-1/3) READ:31007 MB/s WRITE:32356 MB/s COPY:28851 MB/s PassMark PerformanceTest 9.0 Build 1023 CPU Mark:7424.5 Memory Mark:2671.7 3DMark for Windows(3times)(V 2.4.4180) Cloud Gate:7374 Ice Storm:52218 Sky Diver:3990 Strike Test:982</p>	Pass
20	DDR4-2400/Transcend-TS2GLH64V4B/SEC-K4A86085WB-BCRC/16GB*2	<p>M/B: KD330-Q170CRM Rev.A (0A1) (BMI0203100002) BIOS: B183.28A (Insyde) CPU: Intel Celeron G3900TE .30GHz DIMM Slot: Dimm-1/3 Dual Channel Test Summary: Environment Temp.:26.6°C CPU Temp.:35.0°C CPU Temp. after 3DMark:52.0°C AIDA64 Cache and Memory Benchmark(V 5.95.4500) DUAL CHANNEL(Dimm-1/3) READ:26747 MB/s WRITE:31919 MB/s COPY:29010 MB/s Passmark PerformanceTest 9.0 Build 1023 CPU Mark:2621.3 Memory Mark:1972.3 3DMark for Windows(V 2.4.4264)3times Cloud Gate:3814 Ice Storm:24407 Sky diver:2221 Fire Strike:584</p>	Pass (was:ID17284)



<p>21</p>	<p>DDR4-2400/Transcend-TS1GLH64V4H/SEC-K4A4G085WE-BCRC/8GB*</p>	<p>M/B: KD330-Q170CRM Rev.A (0A1) (BMI0203100002) BIOS: B183.28A (Insyde) CPU: Intel Celeron G3900 2.80GHz DIMM Slot: Dimm-1 Single Channel Test Summary: Environment Temp.:25.5°C CPU Temp.:36.0°C CPU Temp. after 3DMark:52.0°C AIDA64 Cache and Memory Benchmark(V 5.95.4500) SINGLE CHANNEL(Dimm-1) READ:16077 MB/s WRITE:16011 MB/s COPY:15644 MB/s Passmark PerformanceTest 9.0 Build 1019 CPU Mark:3016.4 Memory Mark:1900.4 3DMark for Windows(V 2.4.4264)3times Cloud Gate:3961 Ice Storm:24111 Sky diver:2196 Fire Strike:555</p>	<p>Pass (was:ID17284)</p>
------------------	---	--	--------------------------------------

